

LAF- und FLA-Werte für alle Modelle des Markenverbundes



Modell	First St./m	Traglattung 30mm x 50mm LAF/FLA-Werte in mm										Traglattung 40mm x 60mm LAF/FLA-Werte in mm										Traglattung 50mm x 50mm LAF/FLA-Werte in mm																
		DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	
„MAGNUM“	PF 2,5 Stk/m	LAF	110	110	110	100	100	100	90	90	90	90	90	LAF	110	110	110	95	95	95	85	80	75	75	75	LAF	105	105	105	90	90	85	75	70	65	65	60	
		FLA	100	95	90	80	70	60	50	40	30	20	10	FLA	110	105	100	90	80	70	60	50	40	30	20	FLA	120	115	110	100	90	85	75	65	60	50	50	
„BALANCE“ Flachdachziegel	PF 2,5 Stk/m	LAF	95	90	90	80	80	80	75	75	75	75	75	LAF	95	90	90	75	75	75	70	65	60	60	60	LAF	90	85	85	70	70	65	60	55	50	50	45	
		FLA	95	95	90	80	70	60	50	45	30	25	20	FLA	105	105	100	90	80	70	60	55	40	35	30	FLA	115	115	110	100	90	85	75	70	60	55	60	
„FUTURA“	PF 2,5 Stk/m	LAF	80	80	75	70	65	65	60	50	45	45	45	LAF	80	80	75	65	60	60	55	40	30	30	30	LAF	75	75	70	60	55	50	45	30	20	20	15	
		FLA	100	95	90	80	70	60	55	55	50	50	40	FLA	110	105	100	90	80	70	65	60	60	60	50	FLA	120	115	110	100	90	85	80	80	80	80	80	
„HARMONICA“	PH 2,6 Stk/m	LAF	55	55	50	45	40	35	35	25	20	20		LAF	55	55	50	40	35	30	30	15	5	5			LAF	50	50	45	35	30	20	20	5			
		FLA	105	100	90	90	85	75	75	70	70	70		FLA	115	110	100	100	95	85	85	80	80	80			FLA	125	120	110	110	105	100	100	95			
„PREMION“	PP 2,5 Stk/m	LAF	80	70	65	60	55	50	45	45	40	35	30	LAF	80	70	65	55	50	45	40	35	25	20	15	LAF	75	65	60	50	45	35	30	25	15	10		
		FLA	100	100	90	80	80	75	70	60	60	45	40	FLA	110	110	100	90	90	85	80	70	70	55	50	FLA	120	120	110	100	100	100	95	85	90	75		
„VIVA NEU“	G10 3,0 Stk/m	LAF	60	60	55	50	45	35	35	30	30	25	25	LAF	60	60	55	45	40	30	30	20	15	10		LAF	55	55	50	40	35	20	20	10				
		FLA	110	110	105	100	95	90	85	75	65	60	50	FLA	120	120	115	110	105	100	95	85	75	70		FLA	130	130	125	120	115	115	110	100				
	SF9 3,0 Stk/m	LAF	75	75	70	70	65	65	60	60				LAF	75	75	70	65	60	60	55	50				LAF	70	70	65	60	55	50	45	40				
		FLA	100	95	90	80	70	65	55	50				FLA	110	105	100	90	80	75	65	60				FLA	120	115	110	100	90	90	80	75				
„MZ3“	PMZ 2,5 Stk/m	LAF	45	45	40	35	35	30	25	20	15	10		LAF	45	45	40	30	30	25	20	10				LAF	40	40	35	25	25	15	10					
		FLA	130	130	120	115	110	100	90	90	85	80		FLA	140	140	130	125	120	110	100	100				FLA	150	150	140	135	130	125	115					
„HARMONIE“	PZ 2,5 Stk/m	LAF	60	60	55	50	45	40	35	30	30	25	25	LAF	60	60	55	45	40	35	30	20	15	10	10	LAF	55	55	50	40	35	25	20	10	5			
		FLA	100	100	95	90	85	80	70	70	60	55	50	FLA	110	110	105	100	95	90	80	80	70	65	60	FLA	120	120	115	110	105	105	95	95	90			
„OPTIMA“	PH 2,5 Stk/m	LAF		60	55	50	45	45	40	35	35			LAF			55	45	40	40	35	25	20			LAF			50	40	35	30	25	15	10			
		FLA		90	80	75	70	55	55	50	50			FLA			90	85	80	65	65	60	60			FLA			100	95	90	80	80	75	80			
	PV 2,5 Stk/m	LAF		60	60	60	55	55	45	45	45	40	40	LAF			60	55	50	50	40	35	30	30	30	LAF			55	50	45	40	30	25	20			
		FLA		90	80	75	65	60	50	45	35	35	35	FLA			90	85	75	70	60	55	45	45	45	FLA			100	95	85	85	75	70	65			
„ELEGANZ“	PZ 2,5 Stk/m	LAF			70	65	60	60	55	50	50			LAF			70	60	55	55	50	40	35			LAF			65	55	50	45	40	30	25			
		FLA			80	70	65	55	50	45	35			FLA			90	80	75	65	60	55	45			FLA			100	90	85	80	75	70	65			
	PRK 3,0 Stk/m	LAF			70	65	60	60	55	50	50			LAF			70	60	55	55	50	40	35			LAF			65	55	50	45	40	30	25			
		FLA			100	90	85	80	65	60	50			FLA			110	100	95	90	75	70	60			FLA			120	110	105	105	90	85	80			

LAF- und FLA-Werte für alle Modelle des Markenverbundes



Modell	First St./m	Traglattung 30mm x 50mm LAF/FLA-Werte in mm												Traglattung 40mm x 60mm LAF/FLA-Werte in mm												Traglattung 50mm x 50mm LAF/FLA-Werte in mm											
		DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°	DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	60°
"EXTRA"	PH 2,6 Stk/m	LAF	60	60	55	50	50	45	45	40	30	30		LAF	60	60	55	45	45	40	40	30	15	15		LAF	55	55	50	40	40	30	30	20	5	5	
		FLA	105	105	100	95	90	80	80	80	80	80		FLA	115	115	110	105	100	90	90	90	90	90		FLA	125	125	120	115	110	105	105	105	110	110	
„TECTA“	PRK 3,0 Stk/m	LAF		60	55	50	50	45	45	40	30		LAF		60	55	45	45	40	40	30	15			LAF		55	50	40	40	30	30	20	5			
		FLA		95	80	75	70	65	55	55	55		FLA		105	90	85	80	75	65	65	65			FLA		115	100	95	90	90	80	80	85			
„RATIO“	PR 2,5 Stk/m	LAF			80	75	70	70	70	70			LAF			80	70	65	65	65	60	55			LAF			75	65	60	55	55	50	45			
		FLA			95	80	70	65	55	50	40		FLA			105	90	80	75	65	60	50			FLA			115	100	90	90	80	75	70			
	PRK 3,0 Stk/m	LAF			65	50	50	30	30	30	25		LAF			65	45	45	25	25	20	10			LAF			60	40	40	15	15	10				
		FLA			95	90	90	85	80	75	65		FLA			105	100	100	95	90	85	75			FLA			115	110	110	110	105	100				
„BALANCE“ Reformziegel	PR 2,5 Stk/m	LAF			80	75	70	70	70	70			LAF			80	70	65	65	65	60	55			LAF			75	65	60	55	55	50	45			
		FLA			95	80	70	65	55	50	40		FLA			105	90	80	75	65	60	50			FLA			115	100	90	90	80	75	70			
	PRK 3,0 Stk/m	LAF			65	50	50	30	30	30	25		LAF			65	45	45	25	25	20	10			LAF			60	40	40	15	15	10				
		FLA			95	90	90	85	80	75	65		FLA			105	100	100	95	90	85	75			FLA			115	110	110	110	105	100				